





GENERAL PURPOSE QUARTZ
CASE: STAINLESS STEEL

WW194015SS

INSTRUCTIONS

SETTING THE TIME

- Pull the crown out to the farthest position (second click when pulling out the crown).
- 2. Turn the crown either clockwise of counter-clockwise to set the time.
- 3. Push the crown back to the closed position.

SETTING THE DATE

- 1. Pull the crown out to the farthest position. Adjust the time to 6:00.*
- 2. Push the crown back in.
- 3. Pull the crown out to the second position (first click) and turn the crown clockwise to yesterday's date.
- Pull the crown out to the third position (second click) and advance the time clockwise.
- 5. The calendar date will change to today's date when the hands pass midnight.
- 6. Set the hands to the correct time of the day (AM or PM).
- 7. Push the crown back to the closed position.
- * We recommend setting the time to the 6:00 position, in order to prevent potential damage to the internal movement gear mechanism, when setting the date. Setting the time to the 6:00 position ensures that the movement's date gear is not engaged and is ready for the rapid date set feature to work properly.

WATCH FEATURES

Movement: ETA F.06.111 Case: 316L Stainless steel
Water Resistance: 3ATM Illumination: Tritium tubes

IMPORTANT: Do not change the date using the crown's 2nd position when the hours are between 21:00 and 03:00, as this can damage the date gear mechanism. The warranty is void if damage results from changing the date between 21:00 and 03:00. Only use authorized Marathon service centres, otherwise the warranty is void.

www.MarathonWatch.com