



4U iSeries Injection Molded Shallow Fly Rack - 9"

3i-2213M124U



Shallow Fly Rack frames are 9" deep from rail to rail, providing a great solution for shallow recording interfaces, video switchers, or wireless microphone receivers. All Shallow Fly Rack cases feature TSA locking latches and a pull out handle/wheels for easy towing, as well as a pocket below each of the racks for cables and additional

Featuring both injection molded cases and racks, our waterproof Fly Racks are lighter in weight and more affordable than previous models--all without compromising strength or

SKB's injection molded rack frames are manufactured alongside our iSeries cases in Orange, California. Rack frames are removable and fit easily into SKB's iSeries cases, where they are protected by high quality PE foam that provides space for protruding knobs and

At less than half the weight of standard shock racks, SKB Fly Racks feature iSeries Watertight injection molded cases that are under 62 linear inches to keep from being oversized--the perfect solution for flying or shipping delicate equipment. Convenient in-line wheels and a push button release pull handle provides easy transport.

This case comes with Travel Sentry® Approved locking latches installed. Using Travel Sentry® Approved locks allows your luggage to be opened, inspected, and relocked by TSA authorities without damage. For more information, visit

SKB iSeries Injection Molded Mil-Standard Waterproof Cases are molded of ultra high-strength polypropylene copolymer resin, featuring a gasket-sealed, water and dust tight, submersible design (MIL-STD 810H). Other standard features include a

molded-in hinge, patented Trigger Latch® System, comfortable, snap-down rubber over-molded cushion grip handle, automatic ambient pressure equalization valve, and resistance to UV, solvents, corrosion, fungus and impact damage (MIL-STD 810H).

FEATURES

- 4U Removable injection molded shock rack
- 9 inch rack
- Interior foam
- Ultra high-strength polypropylene copolymer resin case
- Resistant to UV, solvents, corrosion, fungus and impact damage (MIL-STD 810H)
- Complete gasket seal makes these cases absolutely watertight (MIL-STD 810H)
- Automatic ambient pressure equalization valve (MIL-STD 810H)
- Molded-in
- This case comes with Travel Sentry® Approved locking latches installed. Using Travel Sentry® Approved locks allows your luggage to be opened, inspected, and relocked by TSA authorities without damage. For more information, visit [www.skbcases.com](#)
- Rubber over-molded cushion grip
- Locking loops to accommodate a customer supplied
- Built-in wheels and pull

SPECIFICATIONS

Exterior	Hard	-
Built In Wheels or Casters	Yes	-
Rack Units	4	-
Rail To Rail	9 in	22.86 cm
Product Weight	22.21 lb	10.07 kg
Exterior Length	24.44 in	62.08 cm
Exterior Width	15.52 in	39.42 cm

Exterior Height	13.65 in	34.67 cm
Carton Length	24.5 in	62.23 cm
Carton Width	16 in	40.64 cm
Carton Height	14.5 in	36.83 cm
Shipping Weight	24.39 lb	11.06 kg

AVAILABLE CONFIGURATIONS

3i-2213M124U	Black	-
--------------	-------	---